

**GENERAL  
WARNING**

Obstacle:

**South within sector:** Threes and buildings. **North within sector:** Threes.

North outside sector: Building north-east of helideck with Smoke stack and ventilation shaft.

**Operational hours**

AD OPS Hours H24, PPR 15 min

**Airport information**

Note. AIP ENR 5.1.2 Ambulance flights are permitted within ES R101 when operating to/from Norrtälje hospital.

ALTN: Mellingeholm heliport freq. 123:325

**Ambulance and rescuer flights only**

PPR 15 min H24 Rescue Coordination Center (SOSAB) PN H24 +46 8 454 23 62.

Clear to land when lights are on or radio contact.

Helideck +46(0)176 32 62 75

Switchboard +46(0)176 32 60 00

**Communication**

Rakel 330-3421

Heliport VHF equipped freq. 122,875 (on request via SOSAB)

**Clearance**

Uncontrolled airspace to 1500 ft. AGL.

**Heliport information**

<b>Heliport information</b>							
<b>ESHY</b>							
Elevated on third floor level	<b>POS</b> LAT 59 45,28N LONG 018 41,21 E						
Proportion/dimension for HKP AS 365 N3 D value max 13,68 m MLW 6 ton	<b>AD ELEV</b> 61 ft. <b>FATO/TLOF</b> Ø 19,80 m <b>Surface</b> Concrete						
	<b>SECTORS</b>						
	<table border="1"> <thead> <tr> <th style="text-align: center;"><b>APPROACH</b></th> <th style="text-align: center;"><b>DEPARTURE</b></th> </tr> </thead> <tbody> <tr> <td>SE (SOUTH) 4,5% 011°</td> <td>4,5% 191°</td> </tr> <tr> <td>SE (NORTH) 4,5% 175°</td> <td>4,5% 355°</td> </tr> </tbody> </table>	<b>APPROACH</b>	<b>DEPARTURE</b>	SE (SOUTH) 4,5% 011°	4,5% 191°	SE (NORTH) 4,5% 175°	4,5% 355°
<b>APPROACH</b>	<b>DEPARTURE</b>						
SE (SOUTH) 4,5% 011°	4,5% 191°						
SE (NORTH) 4,5% 175°	4,5% 355°						
<b>RFF</b> Class H1 < 15 m, 2 hose spray lines (2 monitors) Fire Extinguisher 45 kg	<b>Lights: Airport flash</b> Perimeter light green 13 Floodlights 2 Lightning Windsock Approach lights on helideck						





